














MAXIPRO




DO 49 m²








Standard

-  Centralni stub
-  Teleskopsko otvaranje za zatvaranje iznad stolova
-  Visoko izdržljiv okvir od 6005 legure aluminijuma
-  Standardno samo-balansirajuće otvaranje sa nautičkim koturom sa sistemom zaključavanja (**EASY BLOCK**)
-  Vijci od nerđajućeg čelika
-  MODULARNA KUPOLA - lako zamjenjiva
-  Kragne u tig varenom aluminijumu
-  Spojnice nosač-ruka od najlona/čelika
-  Kruta ventilacija
-  Sa ili bez 35 cm obodnog karnera (tip A, B, C, D, E)
-  PVC Premijum skladišna futrola uključena u cenu

Dostupne osnove

-  Postolje sa otežanjem
-  Da se fiksira
-  Da se ukopa

Pribor


-  Led svetla
-  Grejači
-  Bočni zidovi
-  Oluci
-  Apliciranje logotipa

Projekat po dogovoru



TEHNIČKI LIST

- **STRUKTURA:** 6005 Visoko izdržljiv aluminijum obojen sa epoksidnim prahom.
- **NOSAČI / REBRA SUNCOBRANA:** Radijalni aluminijumski profili \varnothing 50x20x2 mm; 4 dijagonalna nosača napravljena sa \varnothing 57x25x2 mm specijalnim Gaggio profilima.
- **NOSEĆI STUB:** Centralni i okrugao od aluminijuma epoksi obojenog prečnika \varnothing 100x3 mm. Suncobran 600x600 (12 nosača), 700x700, 700x600 i 800x600 su napravljeni sa ojačanim centralnim stubom \varnothing 100x5. Krut i spušten.
- **VENTILACIJA OTPORNA NA VETAR**
- **SPOJNICE:** Od belo - crnog najlona.
- **KRAGNE:** Od tig varenog aluminijuma.
- **SISTEM ZA OTVARANJE I ZATVARANJE:** Teleskopsko i samo-balansirajuće otvaranje sa nautičkim koturom sa sistemom zaključavanja (EASY BLOCK)
- **VIJCI:** Od nerđajućeg čelika.
- **STRUKTURNE BOJE:** Bela - manganese siva - RAL na zahtev
- **DOSTUPNA PLATNA:** Dizajn - Masno obojena; Tehnologija: Standard PVC/ Black Out PVC; Dizajn+Performanse - Nautički zaštićena. |— Vidi Gaggio Kartu boja
- **PVC SKLADIŠNA FUTROLA:** PVC Premijum skladišna futrola napravljena iz dva dela spojena s čičkom.



VELIČ. OTVORENOG SUNCOBRANA (cm)	NOSAČI kom	VISINE (cm)					Težina (kg)	VELIČINA PAKOVANJA	
		A	B	C	D	E			
400x400	8	310	230	195	120	410	52	Cm 410x50x50	Kg. 13
450x450	8	313	240	205	120	450	56	Cm 500x50x50	Kg. 25
500x500	8	323	250	215	95	460	57	Cm 500x50x50	Kg. 25
550x550	8	335	245	210	68	480	57	Cm 500x50x50	Kg. 25
600x600	8	340	250	215	65	498	77	Cm 500x50x50	Kg. 25
600x600	12	340	250	215	65	498	87	Cm 500x50x50	Kg. 25
700x700	12	400	266	231	56	570	100	Cm 590x50x50	Kg. 25
500x400	8	312	240	205	115	437	56	Cm 500x50x50	Kg. 25
550x450	8	325	240	205	97	460	59	Cm 500x50x50	Kg. 25
600x300	8	323	248	213	78	420	59	Cm 500x50x50	Kg. 25
600x400	8	320	242	207	85	457	53	Cm 500x50x50	Kg. 25
600x400	10	320	242	207	84	457	58	Cm 500x50x50	Kg. 25
600x500	8	330	245	210	85	488	67	Cm 500x50x50	Kg. 25
600x500	10	330	245	210	85	488	72	Cm 500x50x50	Kg. 25
650x450	8	339	255	220	94	500	67	Cm 500x50x50	Kg. 25
650x450	10	339	255	220	94	500	72	Cm 500x50x50	Kg. 25
650x500	10	332	261	226	80	492	77	Cm 500x50x50	Kg. 25
700x400	10	320	253	218	80	490	64	Cm 500x50x50	Kg. 25
700x500	10	348	268	233	73	508	70	Cm 510x50x50	Kg. 25
700x600	10	358	283	248	70	540	92	Cm 560x50x50	Kg. 25
800x600	10	379	290	255	67	570	100	Cm 590x50x50	Kg. 25

Visine i težine su približne, postolje i pakovanje su isključeni. Visine i težine se mogu menjati bez prethodne najave.

TEHNIČKI LIST

OTISAK

LEGENDA

L = STRANICA SUNCOBRANA

 $1/2 L$ = POLU STRANICA SUNCOBRANA

D = 8 Cm MINIMALNO ODSTOJANJE OD ZIDOVA / DRUGIH ELEMENATA

