



ICE CUBE MAKERS

Exterior in stainless steel, thermoformed plastic interior.

Slide-out air filter :

- slides out easily with no need to remove the front panel;
- prevents dust formation on air condensers.

Limescale removal system:

A rubber container easy to remove, collects the limescale and residues that form in the water circuit; it allows an easy access to the pump filter for limescale removal.

Antibacterial coating

All ice cube maker models are protected against bacteria using AGION, a compound containing powdered silver. All plastics in contact with water contain AGION, sharply reducing bacteria and algae formation.





ICE CUBE MAKERS


TECHNICAL NOTICES

Ice typology

Hollow Cube




21 g.



Full Cube



20 g.



Granular



Residual water content 25%

Productivity

HOLLOW CUBE	Kg/24h	Load kg
PGC18A	18	4
PGC18W	15	4
PGC25A	24	6
PGC25W	22,5	6
PGC35A	32	10
PGC35W	28	10
PGC45A	47	17
PGC45W	45	17
PGC65A	63	20
PGC65W	60	20
PGC90A	82	30
PGC90W	90	30
PGC170A	171	50
PGC170W	171	50







FULL CUBE	Kg/24h	Load kg
PCC20A	19	6
PCC20W	19	6
PCC35A	34	17
PCC35W	37	17
PCC45A	42	20
PCC45W	46	20
PCC65A	65	33
PCC65W	68	33
PCC140A	135	50
PCC140W	137	50

GRANULAR	Kg/24h	Load kg
PGR85A	70	25
PGR85W	73	25
PGR120A	120	55
PGR120W	120	55
PGR200A	200	55





ICE-MAKERS CUBES

PGC...: hollow cubes. PCC...: full cubes.
...W: water cooled. ...A: air cooled.



MOD.	DESCRIZIONE	 cm	 kW	 kW	
 PGC18A	ICE MAKER - HOLLOW CUBES KG 18/24H	33,4X45,7X55,2	0,28		230V 1N~ / 50HZ
PGC18W	ICE MAKER - HOLLOW CUBES KG 15/24H	33,4X45,7X55,2	0,28		230V 1N~ / 50HZ
PGC25A	ICE MAKER - HOLLOW CUBES KG 24/24H	33,4X45,7X59,7	0,31		230V 1N~ / 50HZ
PGC25W	ICE MAKER - HOLLOW CUBES KG 22/24H	33,4X45,7X59,7	0,2		230V 1N~ / 50HZ
PGC35A	ICE MAKER - HOLLOW CUBES KG 32/24H	37,7X55,5X63,7	0,36		230V 1N~ / 50HZ
PGC35W	ICE MAKER - HOLLOW CUBES KG 28/24H	37,7X55,5X63,7	0,25		230V 1N~ / 50HZ
PGC45A	ICE MAKER - HOLLOW CUBES KG 47/24H	48,5X57,5X81	0,43		230V 1N~ / 50HZ
PGC45W	ICE MAKER - HOLLOW CUBES KG 45/24H	48,5X57,5X81	0,38		230V 1N~ / 50HZ
PGC65A	ICE MAKER - HOLLOW CUBES KG 63/24H	48,5X57,5X90,5	0,58		230V 1N~ / 50HZ
PGC65W	ICE MAKER - HOLLOW CUBES KG 60/24H	48,5X57,5X90,5	0,47		230V 1N~ / 50HZ
PGC90A	ICE MAKER - HOLLOW CUBES KG 82/24H	67X59,5X98,1	0,62		230V 1N~ / 50HZ
PGC90W	ICE MAKER - HOLLOW CUBES KG 90/24H	67X59,5X98,1	0,5		230V 1N~ / 50HZ
PGC170A	ICE MAKER - HOLLOW CUBES KG 171/24H	104,2X57,5X98,1	1,2		230V 1N~ / 50HZ
PGC170W	ICE MAKER - HOLLOW CUBES KG 171/24H	104,2X57,5X98,1	1,2		230V 1N~ / 50HZ
 PCC20A	ICE MAKER - FULL CUBES KG 19/24H	33,4X45,7X59,7	0,33		230V 1N~ / 50HZ
PCC20W	ICE MAKER - FULL CUBES KG 19/24H	33,4X45,7X59,7	0,31		230V 1N~ / 50HZ
PCC35A	ICE MAKER - FULL CUBES KG 34/24H	48,5X57,5X81	0,33		230V 1N~ / 50HZ
PCC35W	ICE MAKER - FULL CUBES KG 37/24H	48,5X57,5X81	0,33		230V 1N~ / 50HZ



MOD.	DESCRIZIONE	 cm	 kW	 kW	
PCC45A	ICE MAKER - FULL CUBES KG 42/24H	48,5X57,5X90,5	0,58		230V 1N~ / 50HZ
PCC45W	ICE MAKER - FULL CUBES KG 46/24H	48,5X57,5X90,5	0,46		230V 1N~ / 50HZ
PCC65A	ICE MAKER - FULL CUBES KG 65/24H	67X59,5X98,1	0,67		230V 1N~ / 50HZ
PCC65W	ICE MAKER - FULL CUBES KG 68/24H	67X59,5X98,1	0,52		230V 1N~ / 50HZ
PCC140A	ICE MAKER - FULL CUBES KG 135/24H	104,2X57,5X98,1	1,2		230V 1N~ / 50HZ
PCC140W	ICE MAKER - FULL CUBES KG 137/24H	104,2X57,5X98,1	1,2		230V 1N~ / 50HZ

ICE-MAKERS GRANULAR

...W: water cooled. ...A: air cooled.



	MOD.	DESCRIZIONE	 cm	 kW	 kW	
	PGR85A	ICE MAKER - GRANULAR KG 70/24H	52,9X62,9X88	0,34		230V 1N~ / 50HZ
	PGR85W	ICE MAKER - GRANULAR KG 73/24H	52,9X62,9X88	0,3		230V 1N~ / 50HZ
	PGR120A	ICE MAKER - GRANULAR KG 120/24H	92X59,4X86,7	0,5		230V 1N~ / 50HZ
	PGR120W	ICE MAKER - GRANULAR KG 120/24H	92X59,4X86,7	0,5		230V 1N~ / 50HZ
	PGR200A	ICE MAKER - GRANULAR KG 200/24H	92X59,4X86,7	0,79		230V 1N~ / 50HZ



Bellariva Restaurant - Italy